Appl. No. 10/065,897 Amdt. Dated Aug. 21, 2006 Reply to office action of May 22, 2006

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1 6. (cancelled)
- 7. (currently amended) A brush seal segment, comprising:
- a bristle arrangement having <u>a plurality of bristles and</u> a retention section;
- a pair of plates flanking said bristle arrangement and having a channel to frictionally engage said retention section, said channel extending to an end of at least one of said plates;

each of said plates having a surface which abuts and contacts said <u>bristles of said</u> bristle arrangement and at least one of said surfaces forming a portion of said channel; and

wherein said channel allows movement of said retention section before said plates are secured together and prevents movement of said retention section after said plates are secured together.

- 8. (cancelled)
- 9. (previously presented) The brush seal segment of claim 7, wherein said channel has a width corresponding to a width of

Appl. No. 10/065,897 Amdt. Dated Aug. 21, 2006 Reply to office action of May 22, 2006

said retention section and a length greater than a length of said retention section.

- 10. (previously presented) The brush seal segment of claim 7, wherein said channel is located on at least one of said plates.
- 11. (original) The brush seal segment of claim 10, wherein said channel is located on both of said plates.
- 12. (original) The brush seal segment of claim 7, wherein said bristle arrangement comprises a bristle ring.
- 13. (currently amended) A brush seal segment comprising:
- a bristle arrangement having <u>a plurality of bristles and</u> a retention section;
- a pair of plates flanking said bristle arrangement and having a channel to frictionally engage said retention section on opposed sides of said retention section, said channel extending to an end of at least one of said plates;

wherein said channel allows movement of said retention section before said plates are secured together and prevents movement of said retention section after said plates are secured together; and

wherein said brush seal segment is part of a packing ring.

14. (previously presented) The brush seal segment of claim 13, wherein said packing ring includes a labyrinth seal.

Appl. No. 10/065,897 Amdt. Dated Aug. 21, 2006 Reply to office action of May 22, 2006

- 15 22. (cancelled)
- 23. (previously presented) The brush seal segment of claim 7, wherein said channel has a uniform depth.
- 24. (currently amended) A brush seal segment comprising:
 - a bristle arrangement having a retention section;

a pair of plates flanking said bristle arrangement and having a channel to frictionally engage opposed sides of said retention section, said channel extending to an end of at least one of said plates;

wherein said channel allows movement of said retention section before said plates are secured together and prevents movement of said retention section after said plates are secured together; and

wherein said bristle arrangement comprises a plurality of bristles <u>abutting said plates</u> and a weld joint securing said bristles together, and said weld joint is said retention section.